

**Serie | 6, Flex induction ploča za
kuhanje, 30 cm,
PXX375FB1E**



Posebni dodatni pribor

HEZ390011 : Posuda za FlexIndukciju
 HEZ390012 : Dodatak za parno kuhanje za HEZ390011
 HEZ390090 : Vok za staklokeramičke ploče
 HEZ390512 : Teppan Yaki
 HEZ390522 : Roštilj ploča
 HEZ394301 : Spojna letvica
 HEZ9SE030 : Komplet posude za indukciju 2+1

**Indukcijska ploča za kuhanje FlexInduction:
više lonaca ili veliku posudu možete po želji
položiti na fleksibilnu zonu za kuhanje.**

- **DirectSelect:** izravan, jednostavan odabir željene zone kuhanja, snage i dodatnih funkcija.
- **FlexInduction zona:** Veća fleksibilnost s kombiniranjem zona kuhanja u jednu veliku zonu za manje lonce i veliko kuhinjsko posuđe.
- **PowerBoost:** do 50% više snage za brže zagrijavanje.
- **Funkcija QuickStart:** odmah i bez odgode možete započeti i odabrati željenu razinu kuhanja za svoj lonac.
- **ReStart:** ako nešto prekupi, ploča za kuhanje će se automatski isključiti i pohraniti posljednju odabranu postavku.

Tehnički podaci

Grupa proizvoda / linija proizvoda :
 Vario/Domino cooking zone cera
 Ugradbeni / samostojeći : Ugradbeni
 Dovod električne energije : Električan
 Ukupan broj polja koja se mogu istovremeno upotrebljavati : 2
 Potrebna veličina niše za ugradnju (VxŠxD) :
 51 x 270 x 490-500
 Širina proizvoda (mm) : 306
 Dimenzije proizvoda (mm) : 51 x 306 x 527
 Dimenzije zapakiranog proizvoda (Vx ŠxD) (mm) :
 110 x 370 x 573
 Neto težina (kg) : 7,718
 Bruto težina (kg) : 8,3
 Boja površine : , Alu, brushed
 Certifikati odobrenja : AENOR, CE
 Dužina kabela za napajanje (cm) : 110
 EAN kod : 4242002839738
 Nazivni podaci električnog priključka (W) : 3700
 Napon (V) : 220-240
 Frekvencija (Hz) : 60; 50



Serie | 6, Flex induction ploča za kuhanje, 30 cm, PXX375FB1E

**Indukcijska ploča za kuhanje FlexInduction:
više lonaca ili veliku posudu možete po želji
položiti na fleksibilnu zonu za kuhanje.**

Dizajn:

- Izbrušeni prednji rub, ukrasne letvice sa strane
- Za kombinaciju s drugim staklokeramičkim pločama u comfort design
- Za kombinaciju sa 60, 70, 80 ili 90 cm staklokeramičkim pločama za kuhanje

Komfor:

- 2 indukcijska polja za kuhanje, prepoznavanje veličine dna posude
- FlexInduction polje
- DirectSelect upravljanje
- Digitalni zaslon TopControl
- Elektronički programski sat s funkcijom isključivanja i opomenom za svako polje za kuhanje
Brojač vremena kuhanja
- Prikaz potrošnje energije
- QuickStart funkcija
- ReStart funkcija

Polja za kuhanje:

- Polja za kuhanje: 1 x Ø 400 mm x 210 mm, 3.3 kW (maks. snaga 3.7 kW) ali 2 x Ø 200 mm, 2.2 kW (maks. snaga 3.7 kW)
- Podešavanje snage: 17 stupnjeva

Sigurnost:

- Prepoznavanje veličine dna posude
Funkcija PowerManagement
Sigurnosno isključivanje
Dječija sigurnosna brava
- Digitalni dvostupanjski indikator preostale topline za svako polje za kuhanje
- Glavni prekidač

Brzina:


- Funkcija PowerBoost za sva polja za kuhanje

Dimenzije:

- Dimenzije (ŠxD): 306 mm x 527 mm
- Ugradbene dimenzije (VxŠxD): 51 mm x 270 mm x 490 mm
- Min. debljina radne površine: 16 mm
- Fiksni priključni kabel
- Priključni kabel 110 cm
- Priključna snaga: 3.7 KW


Serie | 6, Flex induction ploča za kuhanje, 30 cm, PXX375FB1E

measurements in mm




When installing two Domino units right next to a hob, two assembly kits (HEZ394301) are required.

measurements in mm



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).

measurements in mm
Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.).


Cutout dimension (X) depending on the combination see table:

Mjere u mm
Mogućnost kombiniranja Domino-a s odgovarajućim mjerama uređaja i izreza

Tip širine:
Širina uređaja:

	A	B	C	D	L	X		
2x30	306	306	-	-	612	576		
1x30, 1x40	306	396	-	-	702	666		
1x30, 1x60	306	606	-	-	912	876		
1x30, 1x70*	306	710	-	-	1016	980		
1x30, 1x80	306	816	-	-	1122	1086		
1x30, 1x90	306	916	-	-	1222	1186		
2x40	396	396	-	-	792	756		
1x40, 1x60	396	606	-	-	1002	966		
1x40, 1x70*	396	710	-	-	1106	1070		
1x40, 1x80	396	816	-	-	1212	1176		
1x40, 1x90	396	916	-	-	1312	1276		
3x30	306	306	306	-	918	882		
2x30, 1x40	306	306	396	-	1008	972		
2x30, 1x60	306	306	606	-	1218	1182		
2x30, 1x70*	306	306	710	-	1322	1286		
2x30, 1x80	306	306	816	-	1428	1392		
2x30, 1x90	306	306	916	-	1528	1492		
1x30, 2x40	306	396	396	-	1098	1062		
1x30, 1x40, 1x60	306	396	606	-	1308	1272		
1x30, 1x40, 1x70*	306	396	710	-	1412	1376		
1x30, 1x40, 1x80	306	396	816	-	1518	1482		
1x30, 1x40, 1x90	306	396	916	-	1618	1582		
2x40, 1x60	396	396	606	-	1398	1362		
4x30	306	306	306	306	1224	1188		


measurements in mm



When installing a Domino unit right next to a hob, an assembly kit (HEZ394301) is required.



measurements in mm

Assembly kit (HEZ394301) for Domino




B: Dependent on the cut-out depth

Serie | 6, Flex induction ploča za kuhanje, 30 cm, PXX375FB1E




mjere u mm




① Treba predvidjeti prorez za ventilaciju.

mjere u mm



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).



mjere u mm